

**Individuals with a Positive WNV Blood Test
12-Nov-03**

County	Current diagnosis	Hospitalized	Age	Sex
Adams	WN fever	No	0-13	Male
Adams	meningitis	No	0-13	Male
Adams	WN fever	No	0-13	Male
Adams	WN fever	No	0-13	Male
Adams	WN fever	No	14-25	Male
Adams	WN fever	No	14-25	Female
Adams	WN fever	No	14-25	Male
Adams	WN fever	No	14-25	Male
Adams	WN fever	No	14-25	Female
Adams	WN fever	No	14-25	Female
Adams	meningitis	Yes	14-25	Female
Adams	WN fever	Yes	14-25	Male
Adams	meningitis	Yes	14-25	Male
Adams	WN fever	No	14-25	Female
Adams	meningitis	Yes	14-25	Male
Adams	WN fever	No	14-25	Male
Adams	WN fever	No	14-25	unavailable
Adams	WN fever	No	14-25	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	meningitis	Yes	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	Yes	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	encephalitis	Yes	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	meningitis	Yes	26-50	Female
Adams	WN fever	Yes	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	encephalitis	Yes	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	Yes	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Female

Adams	meningitis	Yes	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	Yes	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	WN fever	Yes	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	Yes	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	meningitis	Yes	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Female
Adams	WN fever	Yes	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	meningitis	No	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	Yes	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	encephalitis	Yes	26-50	Male
Adams	WN fever	Yes	26-50	Female
Adams	WN fever	Yes	26-50	Female
Adams	WN fever	No	26-50	Female
Adams	WN fever	No	26-50	Male
Adams	WN fever	No	26-50	Male
Adams	WN fever	Yes	51-64	Male
Adams	WN fever	Yes	51-64	Male
Adams	WN fever	No	51-64	Male
Adams	WN fever	Yes	51-64	Male
Adams	WN fever	No	51-64	Female
Adams	WN fever	Yes	51-64	Male
Adams	WN fever	No	51-64	Male
Adams	encephalitis	Yes	51-64	Female
Adams	WN fever	Yes	51-64	Male
Adams	encephalitis	Yes	51-64	Male
Adams	WN fever	No	51-64	Female
Adams	WN fever	No	51-64	Male
Adams	WN fever	No	51-64	Female
Adams	WN fever	No	51-64	Male
Adams	WN fever	No	51-64	Male
Adams	WN fever	No	51-64	Female
Adams	WN fever	No	51-64	Female
Adams	WN fever	No	51-64	Male
Adams	WN fever	Yes	51-64	Female
Adams	WN fever	No	51-64	Female
Adams	WN fever	No	51-64	Male

Adams	WN fever	No	51-64	Male
Adams	WN fever	No	51-64	Male
Adams	WN fever	No	51-64	Male
Adams	WN fever	No	51-64	Male
Adams	WN fever	No	65+	Male
Adams	WN fever	No	65+	Male
Adams	encephalitis	Yes	65+	Female
Adams	WN fever	Yes	65+	Male
Adams	WN fever	No	65+	Female
Adams	WN fever	No	65+	Male
Adams	WN fever	Yes	65+	Male
Adams	WN fever	No	65+	Female
Adams	WN fever	Yes	65+	Male
Adams	encephalitis	Yes	65+	Female
Adams	WN fever	No	65+	Female
Adams	encephalitis	Yes	65+	Male
Adams	meningitis	Yes	65+	Female
Adams	WN fever	No	65+	Female
Adams	encephalitis	Yes	65+	Female
Adams	encephalitis	Yes	65+	Male
Adams	meningitis	Yes	65+	Female
Adams	WN fever	Yes	65+	Female
Adams	encephalitis	Yes	unavailable	Male
Adams	meningitis	Yes	unavailable	Male
Adams	unavailable	unavailable	unavailable	Female
Adams	unavailable	No	unavailable	Female
Adams	WN fever	No	unavailable	Female
Antelope	WN fever	No	14-25	Male
Antelope	WN fever	No	26-50	unavailable
Antelope	WN fever	No	26-50	Female
Antelope	unavailable	unavailable	unavailable	Male
Blaine	WN fever	No	14-25	Male
Blaine	unavailable	No	14-25	Male
Boone	WN fever	Yes	0-13	Male
Boone	WN fever	No	0-13	Female
Boone	WN fever	No	14-25	Male
Boone	WN fever	No	14-25	Male
Boone	WN fever	No	14-25	Male
Boone	WN fever	No	14-25	Male
Boone	WN fever	No	26-50	Male
Boone	meningitis	Yes	26-50	Female
Boone	WN fever	No	26-50	Male
Boone	WN fever	No	26-50	Male
Boone	WN fever	Yes	26-50	Female
Boone	WN fever	No	26-50	Female
Boone	WN fever	No	26-50	Female
Boone	WN fever	Yes	26-50	Female
Boone	WN fever	Yes	26-50	Female
Boone	WN fever	Yes	51-64	Female
Boone	WN fever	No	51-64	Male
Boone	WN fever	No	51-64	Male
Boone	WN fever	No	51-64	Female

Boone	meningitis	Yes	51-64	Female
Boone	WN fever	No	51-64	Male
Boone	WN fever	No	65+	Female
Boone	WN fever	Yes	65+	Female
Boone	encephalitis	Yes	65+	Male
Boone	encephalitis	Yes	65+	Male
Boone	WN fever	Yes	65+	Female
Box Butte	meningitis	Yes	0-13	Male
Box Butte	WN fever	No	0-13	Female
Box Butte	WN fever	Yes	14-25	Male
Box Butte	WN fever	No	14-25	Male
Box Butte	WN fever	No	14-25	Male
Box Butte	WN fever	No	26-50	Female
Box Butte	WN fever	No	26-50	Male
Box Butte	WN fever	No	26-50	Male
Box Butte	WN fever	No	26-50	Male
Box Butte	WN fever	No	26-50	Female
Box Butte	WN fever	No	26-50	Male
Box Butte	meningitis	No	26-50	Male
Box Butte	WN fever	No	26-50	Female
Box Butte	WN fever	Yes	51-64	Male
Box Butte	WN fever	No	51-64	Female
Box Butte	WN fever	Yes	65+	Female
Box Butte	WN fever	No	65+	Male
Box Butte	WN fever	Yes	65+	Female
Box Butte	WN fever	Yes	65+	Female
Box Butte	unavailable	unavailable	unavailable	Male
Boyd	WN fever	No	0-13	Female
Boyd	WN fever	Yes	26-50	Male
Boyd	WN fever	No	26-50	Male
Boyd	WN fever	No	65+	Male
Boyd	WN fever	No	65+	Male
Boyd	WN fever	Yes	65+	Female
Boyd	encephalitis	Yes	65+	Female
Brown	WN fever	No	0-13	Male
Brown	WN fever	Yes	0-13	Female
Brown	WN fever	No	0-13	Male
Brown	WN fever	No	14-25	Male
Brown	meningitis	No	14-25	Female
Brown	WN fever	No	14-25	Male
Brown	WN fever	No	26-50	Male
Brown	WN fever	No	51-64	Male
Brown	WN fever	No	51-64	Female
Brown	WN fever	No	51-64	Male
Brown	unavailable	unavailable	51-64	Female
Brown	WN fever	No	65+	Male
Brown	unavailable	unavailable	65+	Male
Brown	meningitis	Yes	65+	Female
Brown	encephalitis	Yes	65+	Female
Brown	unavailable	unavailable	unavailable	Male
Buffalo	WN fever	unavailable	0-13	Male
Buffalo	WN fever	No	0-13	Female

Buffalo	WN fever	unavailable	0-13	Male
Buffalo	WN fever	Yes	0-13	Male
Buffalo	WN fever	unavailable	14-25	Female
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Male
Buffalo	encephalitis	Yes	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	Yes	14-25	Female
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	other	Yes	14-25	Female
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Female
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	Yes	14-25	Female
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	14-25	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	Yes	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	unavailable	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	unavailable	26-50	Female

Buffalo	unavailable	unavailable	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	Yes	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	Yes	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	other	Yes	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	Yes	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	unavailable	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	Yes	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	unavailable	unavailable	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female

Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	encephalitis	Yes	26-50	Female
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	26-50	Male
Buffalo	WN fever	No	26-50	Female
Buffalo	WN fever	No	51-64	Female
Buffalo	WN fever	No	51-64	Female
Buffalo	meningitis	No	51-64	Male
Buffalo	WN fever	No	51-64	Female
Buffalo	WN fever	Yes	51-64	Female
Buffalo	WN fever	No	51-64	Female
Buffalo	WN fever	No	51-64	Female
Buffalo	WN fever	No	51-64	Female
Buffalo	meningitis	No	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	No	51-64	Female
Buffalo	WN fever	Yes	51-64	Female
Buffalo	WN fever	No	51-64	Female
Buffalo	unavailable	unavailable	51-64	Male
Buffalo	unavailable	unavailable	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	Yes	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	No	51-64	Male
Buffalo	WN fever	Yes	65+	Female
Buffalo	WN fever	Yes	65+	Male
Buffalo	encephalitis	Yes	65+	Male
Buffalo	WN fever	unavailable	65+	Female
Buffalo	WN fever	Yes	65+	Male
Buffalo	WN fever	No	65+	Female
Buffalo	WN fever	No	65+	Male
Buffalo	unavailable	unavailable	65+	Male
Buffalo	meningitis	No	65+	Male
Buffalo	WN fever	No	65+	Female
Buffalo	WN fever	Yes	65+	Male
Buffalo	unavailable	unavailable	65+	Male
Buffalo	WN fever	No	65+	Male
Buffalo	WN fever	No	65+	Male
Buffalo	WN fever	No	65+	Female
Buffalo	encephalitis	Yes	65+	Male
Buffalo	WN fever	Yes	65+	Female
Buffalo	WN fever	Yes	65+	Male
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Male

Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	unavailable
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Male
Buffalo	unavailable	unavailable	unavailable	Female
Buffalo	WN fever	No	unavailable	Female
Burt	WN fever	No	26-50	Male
Burt	unavailable	unavailable	51-64	Female
Burt	WN fever	No	65+	Male
Burt	encephalitis	Yes	65+	Male
Burt	WN fever	Yes	65+	Male
Burt	meningitis	Yes	65+	Male
Burt	unavailable	unavailable	unavailable	Female
Butler	WN fever	Yes	0-13	Female
Butler	WN fever	No	0-13	Female
Butler	WN fever	No	14-25	Male
Butler	WN fever	No	14-25	Male
Butler	WN fever	No	14-25	Male
Butler	WN fever	No	26-50	Female
Butler	WN fever	No	26-50	Female
Butler	WN fever	No	26-50	Female
Butler	WN fever	No	26-50	Male
Butler	WN fever	No	26-50	Male
Butler	WN fever	No	26-50	Male
Butler	WN fever	No	26-50	Female
Butler	encephalitis	Yes	51-64	Male
Butler	encephalitis	Yes	65+	Male
Cass	WN fever	No	14-25	Male
Cass	WN fever	No	26-50	Female
Cass	WN fever	Yes	26-50	Female
Cass	meningitis	Yes	65+	Female
Cedar	WN fever	No	26-50	Female
Cedar	WN fever	No	51-64	Male
Cedar	WN fever	unavailable	65+	Female
Chase	WN fever	No	14-25	Female
Chase	WN fever	No	14-25	Female
Chase	WN fever	No	14-25	Male
Chase	WN fever	No	14-25	Female

Chase	WN fever	No	14-25	Male
Chase	WN fever	No	26-50	Female
Chase	WN fever	No	26-50	Female
Chase	WN fever	No	26-50	Male
Chase	WN fever	No	26-50	Male
Chase	WN fever	Yes	26-50	Male
Chase	WN fever	No	26-50	Male
Chase	WN fever	No	26-50	Female
Chase	WN fever	No	26-50	Female
Chase	WN fever	No	26-50	Female
Chase	WN fever	No	26-50	Male
Chase	WN fever	No	26-50	Male
Chase	WN fever	No	26-50	Male
Chase	WN fever	No	26-50	Female
Chase	WN fever	No	26-50	Male
Chase	WN fever	No	51-64	Male
Chase	WN fever	No	51-64	Male
Chase	WN fever	No	51-64	Male
Chase	WN fever	No	51-64	Male
Chase	WN fever	No	65+	Male
Chase	WN fever	Yes	65+	Male
Chase	encephalitis	No	65+	Female
Chase	WN fever	Yes	65+	Female
Chase	other	Yes	65+	Female
Chase	WN fever	Yes	65+	Female
Chase	unavailable	unavailable	unavailable	Male
Chase	unavailable	unavailable	unavailable	Female
Chase	unavailable	unavailable	unavailable	Male
Chase	unavailable	unavailable	unavailable	Male
Cherry	WN fever	No	14-25	Female
Cherry	WN fever	No	14-25	Female
Cherry	WN fever	No	26-50	Male
Cherry	WN fever	No	26-50	Male
Cherry	WN fever	unavailable	26-50	Female
Cherry	WN fever	Yes	26-50	Female
Cherry	WN fever	Yes	26-50	Male
Cherry	encephalitis	Yes	26-50	Female
Cherry	WN fever	No	26-50	Female
Cherry	WN fever	No	26-50	Male
Cherry	WN fever	No	51-64	Male
Cherry	WN fever	No	51-64	Female
Cherry	WN fever	Yes	51-64	Female
Cherry	WN fever	No	51-64	Female
Cherry	WN fever	Yes	65+	Male
Cherry	WN fever	No	65+	Female
Cheyenne	WN fever	No	14-25	Male
Cheyenne	WN fever	No	26-50	Male
Cheyenne	WN fever	No	26-50	Female
Cheyenne	meningitis	No	26-50	Male
Cheyenne	WN fever	No	26-50	Male
Cheyenne	WN fever	Yes	26-50	Male
Cheyenne	WN fever	No	26-50	Female

Cheyenne	WN fever	Yes	51-64	Male
Cheyenne	unavailable	unavailable	51-64	Male
Cheyenne	meningitis	Yes	51-64	Male
Cheyenne	WN fever	No	51-64	Male
Cheyenne	WN fever	Yes	65+	Male
Cheyenne	unavailable	unavailable	unavailable	Female
Cheyenne	unavailable	unavailable	unavailable	Female
Cheyenne	unavailable	unavailable	unavailable	Male
Clay	WN fever	No	0-13	Male
Clay	WN fever	No	0-13	Male
Clay	WN fever	No	0-13	Female
Clay	WN fever	No	26-50	Female
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Female
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Female
Clay	WN fever	No	26-50	Male
Clay	WN fever	Yes	26-50	Male
Clay	WN fever	No	26-50	Male
Clay	WN fever	Yes	26-50	Male
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Female
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Male
Clay	WN fever	No	26-50	Male
Clay	meningitis	Yes	26-50	Male
Clay	WN fever	No	51-64	Male
Clay	WN fever	Yes	51-64	Male
Clay	WN fever	No	51-64	Female
Clay	WN fever	No	51-64	Male
Clay	WN fever	No	51-64	Male
Clay	WN fever	No	51-64	Female
Clay	WN fever	No	51-64	Female
Clay	WN fever	Yes	51-64	Male
Clay	WN fever	No	51-64	Female
Clay	WN fever	No	65+	Male
Clay	WN fever	No	65+	Female
Clay	WN fever	No	65+	Male
Clay	WN fever	No	65+	Male
Clay	encephalitis	Yes	65+	Male
Clay	encephalitis	Yes	65+	Male
Clay	WN fever	No	65+	Female
Colfax	WN fever	No	0-13	Female
Colfax	WN fever	Yes	26-50	Male
Colfax	WN fever	Yes	26-50	Female
Colfax	WN fever	No	26-50	Male
Colfax	WN fever	No	26-50	Female
Colfax	WN fever	No	26-50	Male
Colfax	WN fever	unavailable	26-50	Female

Colfax	WN fever	No	51-64	Female
Colfax	WN fever	No	51-64	Female
Colfax	WN fever	No	51-64	Male
Colfax	WN fever	No	65+	Female
Cuming	WN fever	No	14-25	Male
Cuming	WN fever	unavailable	14-25	Female
Cuming	WN fever	No	65+	Male
Cuming	WN fever	Yes	65+	Female
Cuming	unavailable	unavailable	unavailable	Male
Cuming	WN fever	No	unavailable	Female
Custer	WN fever	No	0-13	Female
Custer	WN fever	Yes	0-13	Male
Custer	WN fever	No	0-13	Male
Custer	unavailable	No	0-13	Male
Custer	WN fever	No	0-13	Female
Custer	WN fever	No	14-25	Female
Custer	WN fever	No	14-25	Female
Custer	WN fever	No	14-25	Male
Custer	WN fever	Yes	14-25	Female
Custer	WN fever	No	14-25	Female
Custer	WN fever	No	14-25	Female
Custer	WN fever	No	26-50	Male
Custer	WN fever	No	26-50	Male
Custer	unavailable	No	26-50	Female
Custer	WN fever	No	26-50	Male
Custer	WN fever	No	26-50	Male
Custer	WN fever	No	26-50	Female
Custer	WN fever	No	26-50	Male
Custer	WN fever	No	26-50	Male
Custer	encephalitis	Yes	26-50	Male
Custer	WN fever	No	26-50	Male
Custer	WN fever	No	26-50	Female
Custer	WN fever	No	26-50	Male
Custer	WN fever	No	26-50	Female
Custer	WN fever	No	26-50	Female
Custer	WN fever	Yes	26-50	Male
Custer	WN fever	No	26-50	Female
Custer	WN fever	Yes	26-50	Male
Custer	WN fever	Yes	26-50	Female
Custer	WN fever	Yes	26-50	Female
Custer	WN fever	No	26-50	Female
Custer	WN fever	No	26-50	Male
Custer	WN fever	No	26-50	Female
Custer	WN fever	No	26-50	Male
Custer	encephalitis	Yes	51-64	Male
Custer	WN fever	Yes	51-64	Male
Custer	WN fever	No	51-64	Female
Custer	WN fever	No	51-64	Female
Custer	WN fever	No	51-64	Female
Custer	WN fever	No	51-64	Male
Custer	WN fever	No	51-64	Female
Custer	WN fever	No	51-64	Female

Custer	WN fever	Yes	51-64	Male
Custer	WN fever	Yes	51-64	Male
Custer	WN fever	No	51-64	Female
Custer	WN fever	No	51-64	Male
Custer	WN fever	No	51-64	Male
Custer	WN fever	Yes	65+	Male
Custer	WN fever	No	65+	Female
Custer	WN fever	No	65+	Male
Custer	WN fever	No	65+	Male
Custer	WN fever	No	65+	Male
Custer	WN fever	No	65+	Female
Custer	WN fever	No	65+	Male
Custer	WN fever	No	65+	Female
Custer	WN fever	No	65+	Female
Custer	WN fever	No	65+	Male
Custer	encephalitis	Yes	65+	Male
Custer	unavailable	unavailable	unavailable	Male
Custer	unavailable	unavailable	unavailable	unavailable
Custer	unavailable	unavailable	unavailable	Male
Custer	unavailable	unavailable	unavailable	Female
Custer	unavailable	unavailable	unavailable	Male
Custer	unavailable	unavailable	unavailable	Male
Custer	unavailable	unavailable	unavailable	Female
Custer	unavailable	unavailable	unavailable	Male
Custer	unavailable	unavailable	unavailable	Female
Dakota	WN fever	No	0-13	Male
Dakota	WN fever	No	14-25	Male
Dakota	WN fever	No	26-50	Female
Dakota	WN fever	No	26-50	Male
Dakota	WN fever	unavailable	51-64	Male
Dakota	encephalitis	Yes	65+	Male
Dakota	unavailable	unavailable	unavailable	Male
Dakota	unavailable	unavailable	unavailable	Male
Dawes	meningitis	No	14-25	Female
Dawes	unavailable	unavailable	26-50	Female
Dawes	unavailable	unavailable	26-50	Male
Dawes	WN fever	No	26-50	Female
Dawes	WN fever	No	51-64	Female
Dawes	unavailable	unavailable	65+	Female
Dawes	unavailable	unavailable	65+	Male
Dawes	unavailable	unavailable	65+	Male
Dawes	unavailable	unavailable	65+	Female
Dawes	unavailable	unavailable	unavailable	Male
Dawson	WN fever	Yes	0-13	Male
Dawson	WN fever	No	0-13	Male
Dawson	WN fever	No	0-13	Male
Dawson	unavailable	Yes	0-13	Male
Dawson	WN fever	No	0-13	Male
Dawson	WN fever	No	14-25	Female
Dawson	WN fever	No	14-25	Female
Dawson	WN fever	No	14-25	Female
Dawson	WN fever	No	14-25	Female

Dawson	WN fever	No	14-25	Male
Dawson	WN fever	No	14-25	Female
Dawson	WN fever	No	14-25	Male
Dawson	meningitis	No	14-25	Male
Dawson	WN fever	Yes	14-25	Male
Dawson	WN fever	Yes	14-25	Female
Dawson	unavailable	No	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	Yes	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	meningitis	Yes	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Female
Dawson	meningitis	Yes	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	Yes	26-50	Male
Dawson	unavailable	No	26-50	Male
Dawson	WN fever	Yes	26-50	Male
Dawson	WN fever	No	26-50	Female
Dawson	meningitis	No	26-50	Male
Dawson	encephalitis	Yes	26-50	Female
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	26-50	Male
Dawson	WN fever	No	51-64	Male
Dawson	WN fever	Yes	51-64	Female
Dawson	WN fever	Yes	51-64	Female
Dawson	WN fever	Yes	51-64	Male
Dawson	WN fever	No	51-64	Female
Dawson	WN fever	No	51-64	Male
Dawson	WN fever	No	51-64	Female
Dawson	WN fever	No	51-64	Female
Dawson	WN fever	No	51-64	Male
Dawson	meningitis	Yes	51-64	Male

Dawson	WN fever	No	51-64	Male
Dawson	WN fever	Yes	51-64	Female
Dawson	WN fever	No	51-64	Female
Dawson	WN fever	No	65+	Female
Dawson	WN fever	Yes	65+	Male
Dawson	WN fever	Yes	65+	Male
Dawson	WN fever	Yes	65+	Male
Dawson	other	Yes	65+	Male
Dawson	meningitis	Yes	65+	Female
Dawson	unavailable	unavailable	unavailable	Male
Dawson	unavailable	unavailable	unavailable	Male
Dawson	unavailable	unavailable	unavailable	Female
Dawson	unavailable	unavailable	unavailable	Male
Dawson	unavailable	unavailable	unavailable	Female
Dawson	unavailable	unavailable	unavailable	Male
Dawson	unavailable	unavailable	unavailable	Female
Dawson	WN fever	Yes	unavailable	Male
Dawson	WN fever	Yes	unavailable	Female
Deuel	WN fever	No	26-50	Female
Deuel	WN fever	No	51-64	Male
Deuel	WN fever	Yes	51-64	Male
Deuel	WN fever	Yes	51-64	Male
Deuel	WN fever	No	65+	Female
Deuel	WN fever	Yes	65+	Male
Dixon	WN fever	No	26-50	Female
Dixon	WN fever	No	26-50	Female
Dixon	WN fever	No	26-50	Male
Dixon	WN fever	No	26-50	Male
Dodge	unavailable	Yes	0-13	Male
Dodge	WN fever	No	0-13	Male
Dodge	WN fever	unavailable	0-13	Female
Dodge	WN fever	unavailable	0-13	Male
Dodge	WN fever	No	14-25	Female
Dodge	WN fever	No	14-25	Male
Dodge	WN fever	No	14-25	Female
Dodge	WN fever	No	14-25	Male
Dodge	WN fever	No	14-25	Male
Dodge	WN fever	No	26-50	Female
Dodge	WN fever	No	26-50	Female
Dodge	WN fever	unavailable	26-50	Male
Dodge	WN fever	No	26-50	Male
Dodge	WN fever	No	26-50	Female
Dodge	WN fever	Yes	26-50	Female
Dodge	WN fever	No	26-50	Female
Dodge	WN fever	No	26-50	Female
Dodge	WN fever	No	26-50	Female
Dodge	meningitis	Yes	26-50	Male
Dodge	WN fever	No	26-50	Male
Dodge	WN fever	No	26-50	Male
Dodge	encephalitis	Yes	26-50	Female
Dodge	encephalitis	Yes	26-50	Male
Dodge	WN fever	No	26-50	Female

Dodge	WN fever	No	26-50	Male
Dodge	meningitis	Yes	26-50	Male
Dodge	WN fever	No	26-50	Male
Dodge	WN fever	No	51-64	Female
Dodge	meningitis	Yes	51-64	Male
Dodge	WN fever	No	51-64	Male
Dodge	unavailable	unavailable	51-64	Male
Dodge	WN fever	No	51-64	Female
Dodge	WN fever	No	51-64	Male
Dodge	WN fever	No	51-64	Female
Dodge	WN fever	No	51-64	Male
Dodge	WN fever	No	65+	Female
Dodge	encephalitis	Yes	65+	Male
Dodge	WN fever	Yes	65+	Male
Dodge	WN fever	Yes	65+	Male
Dodge	unavailable	unavailable	65+	Female
Douglas	WN fever	No	0-13	Male
Douglas	WN fever	No	0-13	Female
Douglas	WN fever	No	14-25	Female
Douglas	meningitis	No	14-25	Female
Douglas	WN fever	Yes	14-25	Male
Douglas	other	No	14-25	Male
Douglas	WN fever	No	14-25	Male
Douglas	WN fever	No	14-25	Female
Douglas	WN fever	No	14-25	Female
Douglas	WN fever	No	14-25	Female
Douglas	WN fever	No	26-50	Male
Douglas	meningitis	Yes	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Female
Douglas	WN fever	No	26-50	Female
Douglas	meningitis	Yes	26-50	Female
Douglas	unavailable	unavailable	26-50	Male
Douglas	meningitis	Yes	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	Yes	26-50	Female
Douglas	unavailable	unavailable	26-50	Female
Douglas	WN fever	No	26-50	Male
Douglas	encephalitis	Yes	26-50	Male
Douglas	encephalitis	Yes	26-50	Male
Douglas	meningitis	Yes	26-50	Female
Douglas	WN fever	No	26-50	Female
Douglas	WN fever	No	26-50	Female
Douglas	WN fever	No	26-50	Female
Douglas	WN fever	Yes	26-50	Male
Douglas	WN fever	No	26-50	Female
Douglas	unavailable	No	26-50	Female
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	encephalitis	Yes	26-50	Male

Douglas	encephalitis	Yes	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	Yes	26-50	Male
Douglas	meningitis	No	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Female
Douglas	meningitis	Yes	26-50	Female
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	No	26-50	Female
Douglas	WN fever	No	26-50	Male
Douglas	WN fever	Yes	26-50	Male
Douglas	WN fever	No	51-64	Female
Douglas	WN fever	No	51-64	Female
Douglas	WN fever	No	51-64	Male
Douglas	WN fever	No	51-64	Male
Douglas	encephalitis	Yes	51-64	Female
Douglas	encephalitis	Yes	51-64	Female
Douglas	WN fever	No	51-64	Male
Douglas	meningitis	No	51-64	Female
Douglas	other	Yes	51-64	Female
Douglas	WN fever	No	51-64	Male
Douglas	WN fever	No	51-64	Male
Douglas	WN fever	Yes	51-64	Male
Douglas	WN fever	No	51-64	Female
Douglas	WN fever	Yes	51-64	Male
Douglas	WN fever	No	51-64	Male
Douglas	WN fever	No	51-64	Female
Douglas	meningitis	Yes	51-64	Female
Douglas	WN fever	No	51-64	Female
Douglas	WN fever	Yes	65+	Male
Douglas	meningitis	Yes	65+	Male
Douglas	WN fever	Yes	65+	Male
Douglas	encephalitis	Yes	65+	Male
Douglas	encephalitis	Yes	65+	Male
Douglas	unavailable	unavailable	65+	Male
Douglas	meningitis	No	unavailable	Female
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Female
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Female
Douglas	unavailable	unavailable	unavailable	Female
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male

Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Male
Douglas	unavailable	unavailable	unavailable	Female
Douglas	unavailable	unavailable	unavailable	Female
Dundy	WN fever	No	26-50	Male
Dundy	WN fever	No	26-50	Male
Dundy	WN fever	No	26-50	Female
Dundy	WN fever	No	51-64	Male
Dundy	unavailable	unavailable	unavailable	Female
Dundy	unavailable	unavailable	unavailable	Male
Dundy	unavailable	unavailable	unavailable	Male
Dundy	WN fever	Yes	unavailable	Male
Dundy	WN fever	No	unavailable	Male
Fillmore	WN fever	No	0-13	Male
Fillmore	WN fever	Yes	14-25	Female
Fillmore	WN fever	No	14-25	Male
Fillmore	WN fever	No	14-25	Male
Fillmore	WN fever	No	26-50	Female
Fillmore	WN fever	Yes	26-50	Male
Fillmore	WN fever	No	26-50	Male
Fillmore	WN fever	No	26-50	Male
Fillmore	WN fever	unavailable	26-50	Female
Fillmore	WN fever	No	26-50	Male
Fillmore	meningitis	No	26-50	Male
Fillmore	WN fever	No	26-50	Male
Fillmore	WN fever	Yes	51-64	Male
Fillmore	WN fever	No	51-64	Female
Fillmore	WN fever	Yes	51-64	Male
Fillmore	unavailable	unavailable	51-64	Male
Fillmore	WN fever	No	65+	Female
Fillmore	WN fever	Yes	65+	Female
Fillmore	WN fever	Yes	65+	Male
Fillmore	WN fever	Yes	65+	Female
Fillmore	WN fever	No	65+	Male
Fillmore	WN fever	Yes	65+	Female
Fillmore	encephalitis	Yes	65+	Female
Fillmore	unavailable	unavailable	unavailable	Female
Fillmore	WN fever	Yes	unavailable	Female
Franklin	meningitis	Yes	0-13	Male
Franklin	WN fever	No	14-25	Female
Franklin	WN fever	No	14-25	Male
Franklin	WN fever	No	26-50	Male
Franklin	WN fever	No	26-50	Male
Franklin	WN fever	Yes	26-50	Male
Franklin	WN fever	No	26-50	Female
Franklin	WN fever	No	51-64	Male
Franklin	WN fever	No	51-64	Female
Franklin	WN fever	No	65+	Female
Frontier	WN fever	No	14-25	Male
Frontier	WN fever	No	26-50	Female
Frontier	WN fever	No	51-64	Male
Frontier	WN fever	No	51-64	Female

Frontier	WN fever	Yes	65+	Male
Frontier	WN fever	No	65+	Female
Frontier	WN fever	Yes	65+	Female
Furnas	WN fever	No	0-13	Male
Furnas	WN fever	Yes	0-13	Male
Furnas	WN fever	No	0-13	Male
Furnas	WN fever	No	14-25	Female
Furnas	WN fever	No	26-50	Male
Furnas	WN fever	Yes	26-50	Female
Furnas	other	Yes	26-50	Female
Furnas	encephalitis	Yes	26-50	Male
Furnas	WN fever	Yes	26-50	Female
Furnas	WN fever	No	26-50	Male
Furnas	WN fever	No	26-50	Female
Furnas	WN fever	No	26-50	Female
Furnas	WN fever	No	26-50	Female
Furnas	WN fever	Yes	51-64	Male
Furnas	WN fever	No	51-64	Female
Furnas	WN fever	Yes	51-64	Female
Furnas	WN fever	Yes	51-64	Female
Furnas	WN fever	No	51-64	Female
Furnas	WN fever	Yes	51-64	Female
Furnas	WN fever	Yes	65+	Male
Furnas	WN fever	Yes	65+	Female
Furnas	WN fever	No	65+	Female
Furnas	WN fever	No	unavailable	Male
Gage	WN fever	No	14-25	Male
Gage	meningitis	Yes	14-25	Male
Gage	WN fever	No	26-50	Female
Gage	meningitis	Yes	26-50	Female
Gage	WN fever	No	26-50	Female
Gage	WN fever	No	26-50	Female
Gage	WN fever	Yes	26-50	Female
Gage	WN fever	No	26-50	Female
Gage	WN fever	No	26-50	Female
Gage	meningitis	Yes	26-50	Male
Gage	WN fever	No	26-50	Female
Gage	WN fever	unavailable	26-50	Female
Gage	WN fever	No	26-50	Male
Gage	meningitis	Yes	26-50	Male
Gage	WN fever	No	26-50	Female
Gage	WN fever	Yes	26-50	Male
Gage	WN fever	Yes	26-50	Male
Gage	WN fever	No	26-50	Female
Gage	WN fever	No	51-64	Female
Gage	encephalitis	Yes	51-64	Male
Gage	WN fever	No	51-64	Male
Gage	WN fever	No	51-64	Female
Gage	encephalitis	Yes	51-64	Male
Gage	WN fever	Yes	51-64	Male
Gage	WN fever	No	51-64	Female

Gage	WN fever	Yes	65+	Female
Gage	WN fever	Yes	65+	Female
Gage	WN fever	No	65+	Female
Gage	WN fever	No	65+	Female
Gage	WN fever	No	65+	Female
Gage	meningitis	Yes	65+	Male
Gage	WN fever	No	65+	Male
Gage	unavailable	unavailable	unavailable	Female
Gage	unavailable	unavailable	unavailable	Female
Gage	unavailable	unavailable	unavailable	Male
Gage	unavailable	unavailable	unavailable	Female
Gage	WN fever	No	unavailable	Female
Garden	WN fever	No	0-13	Female
Garden	WN fever	No	14-25	Female
Garden	WN fever	No	14-25	Female
Garden	WN fever	No	14-25	Male
Garden	WN fever	Yes	26-50	Female
Garden	WN fever	No	26-50	Female
Garden	WN fever	Yes	26-50	Female
Garden	WN fever	No	26-50	Female
Garden	meningitis	Yes	51-64	Female
Garden	WN fever	No	51-64	Male
Garden	WN fever	Yes	51-64	Female
Garden	WN fever	No	51-64	Male
Garden	WN fever	No	51-64	Male
Garden	WN fever	Yes	65+	Male
Garden	WN fever	Yes	65+	Female
Garden	WN fever	Yes	65+	Female
Garden	encephalitis	Yes	65+	Male
Garfield	WN fever	No	0-13	Male
Garfield	WN fever	No	0-13	Male
Garfield	WN fever	No	14-25	Female
Garfield	WN fever	No	14-25	Male
Garfield	WN fever	No	14-25	Male
Garfield	WN fever	No	26-50	Male
Garfield	WN fever	No	26-50	Female
Garfield	WN fever	No	26-50	Male
Garfield	WN fever	No	26-50	Female
Garfield	WN fever	No	26-50	Female
Garfield	WN fever	No	26-50	Female
Garfield	WN fever	No	51-64	Female
Garfield	WN fever	No	51-64	Male
Garfield	WN fever	No	65+	Male
Garfield	WN fever	Yes	65+	Male
Gosper	WN fever	No	14-25	Male
Gosper	WN fever	No	26-50	Female
Gosper	WN fever	No	65+	Female
Grant	WN fever	unavailable	26-50	Female
Greeley	WN fever	No	14-25	Female
Greeley	WN fever	No	14-25	Female
Greeley	WN fever	No	26-50	Female
Greeley	WN fever	No	26-50	Female

Greeley	encephalitis	Yes	26-50	Male
Greeley	WN fever	No	51-64	Male
Greeley	WN fever	No	65+	Male
Hall	meningitis	Yes	0-13	Male
Hall	meningitis	Yes	0-13	Male
Hall	WN fever	Yes	0-13	Female
Hall	meningitis	Yes	0-13	Male
Hall	WN fever	No	0-13	Female
Hall	meningitis	Yes	0-13	Male
Hall	WN fever	No	0-13	Male
Hall	WN fever	No	0-13	Male
Hall	meningitis	Yes	0-13	Male
Hall	WN fever	No	0-13	Male
Hall	WN fever	No	0-13	Male
Hall	WN fever	No	0-13	Female
Hall	WN fever	No	14-25	Male
Hall	WN fever	No	14-25	Female
Hall	WN fever	No	14-25	Male
Hall	meningitis	Yes	14-25	Female
Hall	WN fever	No	14-25	Male
Hall	WN fever	No	14-25	Female
Hall	WN fever	No	14-25	Female
Hall	meningitis	No	14-25	Female
Hall	unavailable	No	14-25	Female
Hall	WN fever	No	14-25	Female
Hall	WN fever	No	14-25	Female
Hall	WN fever	Yes	14-25	Female
Hall	WN fever	No	14-25	Female
Hall	WN fever	No	14-25	Male
Hall	WN fever	No	14-25	Male
Hall	WN fever	No	14-25	Female
Hall	WN fever	No	14-25	Male
Hall	WN fever	unavailable	14-25	Female
Hall	WN fever	No	14-25	Female
Hall	WN fever	No	14-25	Male
Hall	meningitis	Yes	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	meningitis	Yes	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	meningitis	Yes	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male

Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	Yes	26-50	Male
Hall	meningitis	Yes	26-50	Female
Hall	meningitis	Yes	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	meningitis	Yes	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	unavailable	unavailable	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	unavailable	26-50	Male
Hall	meningitis	Yes	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	Yes	26-50	Male
Hall	meningitis	Yes	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	WN fever	unavailable	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	WN fever	No	26-50	Female
Hall	meningitis	Yes	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Male
Hall	meningitis	Yes	26-50	Female
Hall	WN fever	No	26-50	Male
Hall	WN fever	No	26-50	Female
Hall	encephalitis	Yes	51-64	Female
Hall	WN fever	No	51-64	Male
Hall	WN fever	No	51-64	Male
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Male
Hall	meningitis	No	51-64	Female

Hall	WN fever	No	51-64	Male
Hall	WN fever	No	51-64	Male
Hall	WN fever	Yes	51-64	Male
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Male
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Male
Hall	WN fever	No	51-64	Male
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Male
Hall	unavailable	unavailable	51-64	Male
Hall	unavailable	unavailable	51-64	Male
Hall	WN fever	Yes	51-64	Female
Hall	WN fever	No	51-64	Female
Hall	encephalitis	Yes	51-64	Female
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Male
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Female
Hall	WN fever	No	51-64	Female
Hall	WN fever	Yes	51-64	Female
Hall	WN fever	No	51-64	Male
Hall	WN fever	Yes	51-64	Female
Hall	WN fever	Yes	65+	Male
Hall	WN fever	Yes	65+	Male
Hall	encephalitis	Yes	65+	Female
Hall	encephalitis	Yes	65+	Female
Hall	WN fever	No	65+	Female
Hall	WN fever	No	65+	Male
Hall	WN fever	No	65+	Male
Hall	WN fever	No	65+	Male
Hall	meningitis	Yes	65+	Male
Hall	WN fever	Yes	65+	Male
Hall	WN fever	Yes	65+	Male
Hall	WN fever	No	65+	Male
Hall	WN fever	No	65+	Male
Hall	WN fever	No	65+	Female
Hall	WN fever	Yes	65+	Female
Hall	WN fever	No	65+	Female
Hall	encephalitis	Yes	65+	Male
Hall	unavailable	unavailable	unavailable	Male
Hall	unavailable	unavailable	unavailable	Male
Hall	WN fever	Yes	unavailable	Female
Hamilton	meningitis	Yes	0-13	Female
Hamilton	WN fever	No	14-25	Male
Hamilton	WN fever	No	14-25	Male
Hamilton	WN fever	No	14-25	Female
Hamilton	WN fever	Yes	14-25	Female
Hamilton	WN fever	No	14-25	Male
Hamilton	WN fever	No	14-25	Male
Hamilton	WN fever	No	14-25	Male

Hamilton	WN fever	No	14-25	Female
Hamilton	WN fever	No	14-25	Male
Hamilton	WN fever	No	26-50	Female
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Female
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Female
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Female
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	26-50	Male
Hamilton	encephalitis	Yes	26-50	Male
Hamilton	WN fever	No	26-50	Female
Hamilton	WN fever	No	26-50	Female
Hamilton	WN fever	No	26-50	Male
Hamilton	WN fever	No	51-64	Female
Hamilton	WN fever	No	51-64	Female
Hamilton	WN fever	No	51-64	Female
Hamilton	WN fever	No	51-64	Male
Hamilton	WN fever	No	51-64	Female
Hamilton	WN fever	No	51-64	Female
Hamilton	WN fever	Yes	51-64	Male
Hamilton	encephalitis	Yes	51-64	Male
Hamilton	WN fever	No	65+	Female
Hamilton	WN fever	No	65+	Female
Hamilton	WN fever	No	65+	Male
Hamilton	WN fever	Yes	65+	Male
Hamilton	encephalitis	Yes	65+	Male
Hamilton	encephalitis	Yes	65+	Male
Hamilton	WN fever	Yes	65+	Female
Hamilton	encephalitis	Yes	65+	Male
Hamilton	unavailable	unavailable	unavailable	Female
Hamilton	unavailable	unavailable	unavailable	Female
Hamilton	unavailable	unavailable	unavailable	Male
Hamilton	unavailable	unavailable	unavailable	Male
Harlan	meningitis	No	0-13	Male
Harlan	WN fever	No	14-25	Male
Harlan	WN fever	No	14-25	Male
Harlan	WN fever	No	26-50	Female
Harlan	other	Yes	26-50	Male
Harlan	WN fever	No	26-50	Male
Harlan	WN fever	No	26-50	Female
Harlan	WN fever	Yes	26-50	Male
Harlan	WN fever	No	26-50	Female
Harlan	WN fever	No	26-50	Female
Harlan	WN fever	No	26-50	Male
Harlan	WN fever	No	26-50	Female
Harlan	WN fever	No	26-50	Male

Harlan	WN fever	Yes	51-64	Male
Harlan	WN fever	No	51-64	Male
Harlan	WN fever	No	65+	Female
Harlan	WN fever	unavailable	65+	Female
Harlan	WN fever	Yes	65+	Female
Hayes	WN fever	No	14-25	Male
Hayes	WN fever	Yes	14-25	Male
Hayes	WN fever	unavailable	26-50	Female
Hitchcock	WN fever	No	14-25	Female
Hitchcock	WN fever	No	14-25	Female
Hitchcock	WN fever	No	26-50	Female
Hitchcock	WN fever	No	26-50	Male
Hitchcock	WN fever	Yes	51-64	Male
Hitchcock	WN fever	Yes	51-64	Male
Hitchcock	WN fever	No	51-64	Female
Hitchcock	WN fever	unavailable	unavailable	Male
Holt	WN fever	No	0-13	Male
Holt	WN fever	No	14-25	Male
Holt	WN fever	No	26-50	Male
Holt	WN fever	No	26-50	Female
Holt	WN fever	No	26-50	Female
Holt	WN fever	No	26-50	Female
Holt	meningitis	Yes	26-50	Male
Holt	WN fever	No	26-50	Male
Holt	encephalitis	Yes	26-50	Male
Holt	WN fever	No	26-50	Male
Holt	WN fever	No	26-50	Male
Holt	WN fever	No	26-50	Female
Holt	WN fever	No	26-50	Male
Holt	WN fever	Yes	26-50	Female
Holt	WN fever	No	26-50	Female
Holt	WN fever	No	26-50	Female
Holt	WN fever	No	26-50	Male
Holt	WN fever	No	26-50	Male
Holt	WN fever	No	26-50	Male
Holt	WN fever	No	51-64	Female
Holt	WN fever	No	51-64	Male
Holt	WN fever	Yes	51-64	Female
Holt	encephalitis	Yes	51-64	Male
Holt	WN fever	No	51-64	Female
Holt	meningitis	Yes	51-64	Female
Holt	meningitis	Yes	65+	Male
Holt	unavailable	unavailable	65+	Female
Holt	WN fever	No	65+	Male
Holt	WN fever	No	65+	Male
Holt	WN fever	Yes	65+	Female
Holt	unavailable	unavailable	unavailable	Male
Holt	unavailable	unavailable	unavailable	Male
Hooker	WN fever	No	51-64	Male
Howard	WN fever	No	0-13	Male
Howard	WN fever	unavailable	0-13	Male
Howard	WN fever	Yes	14-25	Female

Howard	WN fever	No	26-50	Male
Howard	WN fever	No	26-50	Female
Howard	encephalitis	Yes	26-50	Female
Howard	WN fever	Yes	26-50	Male
Howard	WN fever	No	51-64	Male
Howard	WN fever	No	51-64	Female
Howard	WN fever	No	51-64	Female
Howard	WN fever	Yes	65+	Male
Howard	WN fever	No	65+	Male
Howard	unavailable	unavailable	unavailable	Male
Jefferson	WN fever	No	26-50	Male
Jefferson	WN fever	No	26-50	Male
Jefferson	meningitis	Yes	51-64	Female
Jefferson	WN fever	Yes	65+	Male
Jefferson	WN fever	unavailable	65+	Female
Jefferson	WN fever	Yes	65+	Female
Jefferson	unavailable	unavailable	unavailable	Female
Jefferson	unavailable	unavailable	unavailable	Female
Jefferson	unavailable	unavailable	unavailable	Male
Johnson	WN fever	No	14-25	Male
Johnson	WN fever	Yes	26-50	Female
Johnson	WN fever	Yes	51-64	Female
Johnson	WN fever	No	51-64	Female
Kearney	WN fever	No	0-13	Male
Kearney	WN fever	No	0-13	Male
Kearney	WN fever	No	14-25	Male
Kearney	WN fever	No	14-25	Male
Kearney	WN fever	No	14-25	Male
Kearney	WN fever	No	14-25	Male
Kearney	WN fever	No	14-25	Male
Kearney	WN fever	No	26-50	Female
Kearney	WN fever	No	26-50	Male
Kearney	meningitis	Yes	26-50	Male
Kearney	WN fever	Yes	26-50	Female
Kearney	WN fever	No	26-50	Female
Kearney	WN fever	No	26-50	Male
Kearney	WN fever	No	26-50	Female
Kearney	WN fever	No	26-50	Female
Kearney	WN fever	Yes	26-50	Male
Kearney	WN fever	No	26-50	Female
Kearney	WN fever	No	26-50	Male
Kearney	WN fever	No	26-50	Female
Kearney	WN fever	No	51-64	Female
Kearney	WN fever	No	51-64	Female
Kearney	WN fever	Yes	51-64	Female
Kearney	WN fever	No	65+	Male
Kearney	WN fever	No	65+	Male
Kearney	WN fever	Yes	65+	Female
Kearney	WN fever	Yes	65+	Female
Kearney	encephalitis	Yes	65+	Male
Kearney	unavailable	unavailable	unavailable	Male
Keith	WN fever	Yes	0-13	Male

Keith	meningitis	Yes	0-13	Male
Keith	WN fever	No	14-25	Female
Keith	unavailable	unavailable	14-25	Female
Keith	WN fever	No	14-25	Female
Keith	WN fever	No	14-25	Male
Keith	WN fever	No	14-25	Female
Keith	WN fever	No	14-25	Male
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Male
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Male
Keith	WN fever	Yes	26-50	Female
Keith	WN fever	Yes	26-50	Male
Keith	WN fever	No	26-50	Female
Keith	WN fever	No	26-50	Male
Keith	WN fever	No	26-50	Male
Keith	WN fever	No	51-64	Female
Keith	WN fever	No	51-64	Female
Keith	WN fever	No	51-64	Female
Keith	WN fever	unavailable	51-64	Male
Keith	WN fever	Yes	51-64	Female
Keith	WN fever	Yes	51-64	Male
Keith	unavailable	unavailable	51-64	Male
Keith	WN fever	No	65+	Male
Keith	WN fever	No	65+	Female
Keith	WN fever	No	65+	Male
Keith	WN fever	No	65+	Male
Keith	WN fever	Yes	65+	Female
Keith	encephalitis	Yes	65+	Female
Keith	unavailable	unavailable	unavailable	unavailable
Keya Paha	WN fever	Yes	14-25	Female
Keya Paha	WN fever	No	26-50	Male
Keya Paha	WN fever	Yes	65+	Female
Kimball	meningitis	Yes	0-13	Male
Kimball	WN fever	No	14-25	Female
Kimball	WN fever	No	14-25	Male
Kimball	WN fever	No	26-50	Male
Kimball	WN fever	No	26-50	Male
Kimball	WN fever	No	26-50	Male
Kimball	WN fever	No	26-50	Female
Kimball	WN fever	No	26-50	Female
Kimball	WN fever	No	26-50	Male
Kimball	WN fever	No	26-50	Female
Kimball	WN fever	Yes	51-64	Female
Kimball	WN fever	No	51-64	Male
Kimball	WN fever	Yes	65+	Male
Kimball	WN fever	No	65+	Female

Kimball	WN fever	Yes	65+	Male
Kimball	unavailable	unavailable	unavailable	Female
Knox	WN fever	No	14-25	Male
Knox	WN fever	No	14-25	Male
Knox	encephalitis	Yes	26-50	Female
Knox	WN fever	No	26-50	Male
Knox	WN fever	No	26-50	Female
Knox	WN fever	No	26-50	Female
Knox	WN fever	No	26-50	Male
Knox	meningitis	Yes	26-50	Female
Knox	WN fever	No	26-50	Female
Knox	WN fever	No	26-50	Male
Knox	WN fever	Yes	51-64	Female
Knox	WN fever	No	51-64	Male
Knox	unavailable	unavailable	unavailable	Female
Lancaster	WN fever	No	0-13	Male
Lancaster	WN fever	No	0-13	Male
Lancaster	WN fever	No	0-13	Male
Lancaster	WN fever	Yes	0-13	Male
Lancaster	WN fever	No	14-25	Female
Lancaster	meningitis	Yes	14-25	Male
Lancaster	WN fever	No	14-25	Male
Lancaster	meningitis	Yes	14-25	Female
Lancaster	WN fever	No	14-25	Male
Lancaster	WN fever	No	14-25	Male
Lancaster	WN fever	No	14-25	Male
Lancaster	encephalitis	Yes	14-25	Female
Lancaster	WN fever	No	14-25	Female
Lancaster	WN fever	No	14-25	Male
Lancaster	meningitis	No	14-25	Female
Lancaster	meningitis	No	14-25	Female
Lancaster	WN fever	No	14-25	Male
Lancaster	WN fever	No	14-25	Male
Lancaster	WN fever	No	14-25	Male
Lancaster	WN fever	No	14-25	Male
Lancaster	unavailable	unavailable	14-25	Female
Lancaster	WN fever	No	14-25	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Male
Lancaster	meningitis	Yes	26-50	Female
Lancaster	meningitis	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	meningitis	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	meningitis	Yes	26-50	Female
Lancaster	meningitis	Yes	26-50	Female
Lancaster	unavailable	No	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female

Lancaster	meningitis	Yes	26-50	Male
Lancaster	meningitis	Yes	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	meningitis	Yes	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	encephalitis	Yes	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Male
Lancaster	meningitis	Yes	26-50	Female
Lancaster	encephalitis	Yes	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	Yes	26-50	Female
Lancaster	meningitis	Yes	26-50	Female
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	Yes	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	meningitis	Yes	26-50	Male
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	WN fever	No	26-50	Female
Lancaster	meningitis	Yes	26-50	Female
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	WN fever	No	26-50	Male
Lancaster	unavailable	Yes	51-64	Female
Lancaster	WN fever	No	51-64	Male
Lancaster	WN fever	No	51-64	Male
Lancaster	WN fever	No	51-64	Female
Lancaster	meningitis	Yes	51-64	Female
Lancaster	WN fever	No	51-64	Female
Lancaster	WN fever	No	51-64	Male
Lancaster	WN fever	No	51-64	Male
Lancaster	meningitis	No	51-64	Female
Lancaster	WN fever	Yes	51-64	Male
Lancaster	unavailable	unavailable	51-64	Female
Lancaster	WN fever	No	51-64	Female

Lancaster	encephalitis	Yes	51-64	Female
Lancaster	WN fever	Yes	51-64	Male
Lancaster	WN fever	No	51-64	Female
Lancaster	WN fever	Yes	51-64	Male
Lancaster	WN fever	Yes	65+	Female
Lancaster	unavailable	unavailable	65+	Male
Lancaster	unavailable	unavailable	65+	Male
Lancaster	WN fever	Yes	65+	Male
Lancaster	encephalitis	Yes	65+	Male
Lancaster	meningitis	Yes	65+	Male
Lancaster	WN fever	Yes	65+	Female
Lancaster	meningitis	Yes	65+	Male
Lancaster	encephalitis	Yes	65+	Male
Lancaster	encephalitis	Yes	65+	Male
Lancaster	WN fever	No	65+	Male
Lancaster	encephalitis	Yes	65+	Male
Lancaster	encephalitis	Yes	65+	Female
Lancaster	meningitis	Yes	65+	Female
Lancaster	unavailable	Yes	65+	Male
Lancaster	unavailable	Yes	65+	Female
Lancaster	unavailable	unavailable	unavailable	Female
Lancaster	unavailable	unavailable	unavailable	Female
Lancaster	unavailable	unavailable	unavailable	Male
Lancaster	unavailable	unavailable	unavailable	Female
Lancaster	unavailable	unavailable	unavailable	unavailable
Lancaster	unavailable	unavailable	unavailable	Male
Lancaster	unavailable	unavailable	unavailable	Female
Lancaster	unavailable	unavailable	unavailable	Male
Lancaster	unavailable	unavailable	unavailable	Male
Lancaster	unavailable	unavailable	unavailable	Female
Lancaster	unavailable	unavailable	unavailable	Female
Lancaster	unavailable	unavailable	unavailable	Female
Lancaster	WN fever	No	unavailable	Male
Lincoln	WN fever	No	0-13	Male
Lincoln	WN fever	No	0-13	Male
Lincoln	WN fever	No	0-13	Female
Lincoln	unavailable	unavailable	0-13	Female
Lincoln	WN fever	No	0-13	Female
Lincoln	WN fever	No	0-13	Male
Lincoln	meningitis	Yes	14-25	Male
Lincoln	WN fever	No	14-25	Female
Lincoln	WN fever	No	14-25	Male
Lincoln	WN fever	unavailable	14-25	Female
Lincoln	WN fever	No	14-25	Male
Lincoln	WN fever	Yes	14-25	Female
Lincoln	WN fever	No	14-25	Female
Lincoln	WN fever	No	14-25	Male
Lincoln	WN fever	No	14-25	Female
Lincoln	WN fever	No	14-25	Female
Lincoln	WN fever	No	14-25	Male
Lincoln	WN fever	unavailable	14-25	Male

Lincoln	WN fever	No	14-25	Male
Lincoln	WN fever	Yes	14-25	Male
Lincoln	WN fever	No	14-25	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	unavailable	unavailable	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	Yes	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	unavailable	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	unavailable	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	meningitis	Yes	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	unavailable	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	unavailable	26-50	Male
Lincoln	meningitis	Yes	26-50	Male
Lincoln	meningitis	Yes	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	Yes	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	Yes	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	unavailable	26-50	Male
Lincoln	unavailable	unavailable	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	unavailable	unavailable	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male

Lincoln	WN fever	Yes	26-50	Male
Lincoln	unavailable	unavailable	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	meningitis	Yes	26-50	Male
Lincoln	unavailable	unavailable	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	unavailable	unavailable	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Male
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	26-50	Female
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	unavailable	51-64	Male
Lincoln	meningitis	Yes	51-64	Male
Lincoln	unavailable	unavailable	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	Yes	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	unavailable	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	Yes	51-64	Male
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Female
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	No	51-64	Male
Lincoln	WN fever	unavailable	51-64	Male
Lincoln	WN fever	unavailable	65+	Male

Lincoln	WN fever	No	65+	Male
Lincoln	unavailable	unavailable	65+	Male
Lincoln	WN fever	No	65+	Female
Lincoln	WN fever	Yes	65+	Male
Lincoln	WN fever	No	65+	Male
Lincoln	WN fever	No	65+	Male
Lincoln	WN fever	No	65+	Male
Lincoln	WN fever	No	65+	Female
Lincoln	WN fever	Yes	65+	Female
Lincoln	WN fever	No	65+	Male
Lincoln	WN fever	No	65+	Male
Lincoln	WN fever	No	65+	Female
Lincoln	WN fever	unavailable	65+	Female
Lincoln	WN fever	No	65+	Female
Lincoln	unavailable	unavailable	65+	Male
Lincoln	WN fever	unavailable	unavailable	Female
Lincoln	WN fever	No	unavailable	Male
Logan	WN fever	No	14-25	Female
Logan	WN fever	No	14-25	Female
Logan	WN fever	No	26-50	Female
Logan	WN fever	No	26-50	Male
Logan	WN fever	No	26-50	Male
Logan	WN fever	No	26-50	Male
Logan	WN fever	No	51-64	Female
Madison	meningitis	Yes	26-50	Female
Madison	meningitis	Yes	26-50	Female
Madison	unavailable	unavailable	26-50	Male
Madison	WN fever	No	26-50	Female
Madison	WN fever	Yes	26-50	Female
Madison	meningitis	Yes	51-64	Female
Madison	WN fever	Yes	51-64	Male
Madison	meningitis	Yes	51-64	Female
Madison	WN fever	No	51-64	Female
Madison	unavailable	unavailable	unavailable	Male
Madison	unavailable	unavailable	unavailable	Male
Madison	WN fever	No	unavailable	Female
McPherson	WN fever	No	0-13	Female
McPherson	meningitis	Yes	26-50	Male
Merrick	WN fever	No	0-13	Female
Merrick	meningitis	Yes	0-13	Female
Merrick	meningitis	No	14-25	Male
Merrick	WN fever	No	14-25	Female
Merrick	WN fever	No	14-25	Female
Merrick	WN fever	No	14-25	Female
Merrick	meningitis	No	26-50	Female
Merrick	WN fever	No	26-50	Female
Merrick	WN fever	No	26-50	Male
Merrick	WN fever	Yes	26-50	Female
Merrick	WN fever	unavailable	26-50	Female
Merrick	WN fever	No	26-50	Male
Merrick	WN fever	Yes	26-50	Female
Merrick	WN fever	No	26-50	Female

Merrick	meningitis	Yes	26-50	Female
Merrick	encephalitis	Yes	26-50	Male
Merrick	WN fever	No	26-50	Female
Merrick	WN fever	No	26-50	Male
Merrick	WN fever	No	26-50	Male
Merrick	WN fever	Yes	26-50	Male
Merrick	WN fever	No	26-50	Male
Merrick	meningitis	Yes	26-50	Male
Merrick	WN fever	No	26-50	Male
Merrick	WN fever	No	26-50	Male
Merrick	WN fever	Yes	51-64	Male
Merrick	WN fever	No	51-64	Female
Merrick	WN fever	No	51-64	Female
Merrick	WN fever	No	51-64	Female
Merrick	WN fever	No	51-64	Male
Merrick	WN fever	No	51-64	Female
Merrick	WN fever	No	51-64	Male
Merrick	WN fever	No	51-64	Male
Merrick	WN fever	No	65+	Male
Merrick	WN fever	Yes	65+	Male
Merrick	unavailable	unavailable	unavailable	Male
Merrick	unavailable	unavailable	unavailable	Male
Morrill	WN fever	Yes	14-25	Female
Morrill	WN fever	Yes	14-25	Male
Morrill	WN fever	No	14-25	Male
Morrill	encephalitis	Yes	14-25	Female
Morrill	WN fever	Yes	26-50	Female
Morrill	WN fever	No	26-50	Female
Morrill	WN fever	No	26-50	Female
Morrill	WN fever	unavailable	26-50	Male
Morrill	WN fever	No	26-50	Female
Morrill	WN fever	Yes	26-50	Female
Morrill	encephalitis	Yes	26-50	Male
Morrill	WN fever	No	51-64	Male
Morrill	WN fever	No	65+	Female
Morrill	encephalitis	Yes	65+	Female
Morrill	WN fever	Yes	65+	Male
Morrill	WN fever	No	65+	Female
Nance	WN fever	No	26-50	Male
Nance	WN fever	No	26-50	Male
Nance	WN fever	No	26-50	Female
Nance	WN fever	Yes	26-50	Female
Nance	WN fever	No	51-64	Male
Nance	WN fever	No	51-64	Male
Nance	WN fever	Yes	65+	Male
Nemaha	WN fever	No	26-50	Male
Nemaha	WN fever	No	26-50	Female
Nemaha	WN fever	Yes	26-50	Male
Nuckolls	WN fever	No	51-64	Female
Nuckolls	WN fever	unavailable	65+	Male
Nuckolls	unavailable	unavailable	unavailable	unavailable
Nuckolls	WN fever	No	unavailable	Female

[illegible]

Phelps	WN fever	No	26-50	Male
Phelps	WN fever	Yes	26-50	Male
Phelps	WN fever	No	26-50	Female
Phelps	WN fever	No	26-50	Male
Phelps	WN fever	No	26-50	Male
Phelps	WN fever	Yes	26-50	Female
Phelps	WN fever	No	26-50	Male
Phelps	WN fever	No	26-50	Male
Phelps	WN fever	No	26-50	Male
Phelps	WN fever	No	26-50	Male
Phelps	encephalitis	Yes	26-50	Male
Phelps	WN fever	Yes	51-64	Male
Phelps	WN fever	No	51-64	Male
Phelps	WN fever	No	51-64	Female
Phelps	WN fever	No	51-64	Male
Phelps	WN fever	No	51-64	Female
Phelps	WN fever	No	65+	Male
Phelps	WN fever	Yes	65+	Male
Phelps	WN fever	Yes	65+	Female
Phelps	unavailable	unavailable	unavailable	Male
Phelps	unavailable	unavailable	unavailable	Male
Pierce	WN fever	No	26-50	Female
Pierce	meningitis	Yes	26-50	Male
Pierce	encephalitis	Yes	51-64	Male
Pierce	WN fever	Yes	65+	Male
Pierce	WN fever	Yes	65+	Female
Pierce	unavailable	unavailable	unavailable	Female
Platte	WN fever	No	26-50	Male
Platte	WN fever	No	26-50	Male
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Male
Platte	meningitis	Yes	26-50	Female
Platte	WN fever	No	26-50	Male
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Male
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Male
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Male
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Female
Platte	WN fever	No	26-50	Male
Platte	WN fever	No	26-50	Male
Platte	WN fever	Yes	51-64	Female
Platte	WN fever	No	51-64	Female
Platte	WN fever	No	51-64	Male
Platte	WN fever	No	51-64	Female

Platte	WN fever	No	51-64	Female
Platte	WN fever	No	51-64	Male
Platte	WN fever	No	51-64	Male
Platte	WN fever	No	51-64	Female
Platte	WN fever	No	51-64	Male
Platte	WN fever	No	65+	Female
Platte	WN fever	No	65+	Female
Platte	meningitis	Yes	65+	Female
Platte	WN fever	Yes	65+	Female
Platte	meningitis	No	65+	Male
Platte	encephalitis	Yes	65+	Male
Platte	unavailable	unavailable	unavailable	Male
Platte	unavailable	unavailable	unavailable	Female
Platte	unavailable	unavailable	unavailable	unavailable
Platte	unavailable	unavailable	unavailable	Male
Platte	unavailable	unavailable	unavailable	Male
Platte	unavailable	unavailable	unavailable	unavailable
Platte	WN fever	No	unavailable	Male
Polk	WN fever	No	14-25	Female
Polk	WN fever	Yes	14-25	Female
Polk	WN fever	No	26-50	Female
Polk	WN fever	No	26-50	Male
Polk	WN fever	No	26-50	Female
Polk	WN fever	Yes	26-50	Female
Polk	WN fever	No	26-50	Male
Polk	WN fever	Yes	26-50	Female
Polk	WN fever	No	26-50	Male
Polk	encephalitis	unavailable	26-50	Male
Polk	WN fever	No	26-50	Female
Polk	WN fever	No	26-50	Female
Polk	WN fever	Yes	26-50	Female
Polk	WN fever	No	26-50	Male
Polk	WN fever	No	26-50	Female
Polk	WN fever	No	51-64	Female
Polk	WN fever	No	51-64	Male
Polk	WN fever	Yes	65+	Male
Polk	WN fever	No	65+	Male
Polk	WN fever	No	65+	Female
Red Willow	WN fever	No	0-13	Female
Red Willow	WN fever	No	14-25	Female
Red Willow	WN fever	No	14-25	Male
Red Willow	WN fever	No	14-25	Male
Red Willow	WN fever	No	14-25	Female
Red Willow	WN fever	No	14-25	Female
Red Willow	WN fever	No	14-25	Female
Red Willow	WN fever	unavailable	14-25	Male
Red Willow	WN fever	No	14-25	Female
Red Willow	WN fever	unavailable	14-25	Male
Red Willow	WN fever	No	14-25	Male
Red Willow	WN fever	No	14-25	Female
Red Willow	WN fever	No	14-25	Female
Red Willow	WN fever	No	14-25	Male

Red Willow	WN fever	No	26-50	Male
Red Willow	WN fever	No	26-50	Female
Red Willow	WN fever	No	26-50	Male
Red Willow	WN fever	No	26-50	Male
Red Willow	WN fever	unavailable	26-50	Female
Red Willow	WN fever	No	26-50	Female
Red Willow	WN fever	No	26-50	Female
Red Willow	WN fever	Yes	26-50	Male
Red Willow	WN fever	No	26-50	Male
Red Willow	WN fever	No	26-50	Female
Red Willow	encephalitis	Yes	26-50	Male
Red Willow	WN fever	No	26-50	Female
Red Willow	WN fever	No	26-50	Female
Red Willow	WN fever	No	26-50	Female
Red Willow	WN fever	No	26-50	Male
Red Willow	WN fever	No	51-64	Female
Red Willow	WN fever	Yes	51-64	Male
Red Willow	WN fever	unavailable	65+	Male
Red Willow	WN fever	Yes	65+	Female
Red Willow	WN fever	Yes	65+	Female
Red Willow	WN fever	Yes	65+	Male
Red Willow	unavailable	unavailable	unavailable	Female
Red Willow	unavailable	unavailable	unavailable	Female
Richardson	unavailable	unavailable	65+	Male
Richardson	WN fever	unavailable	unavailable	Male
Rock	WN fever	No	14-25	Male
Rock	WN fever	No	26-50	Female
Rock	WN fever	No	26-50	Male
Rock	WN fever	No	65+	Male
Saline	WN fever	No	14-25	Female
Saline	WN fever	No	26-50	Female
Saline	WN fever	No	26-50	Male
Saline	WN fever	No	26-50	Female
Saline	WN fever	No	26-50	Female
Saline	WN fever	No	26-50	Female
Saline	WN fever	No	26-50	Female
Saline	WN fever	Yes	26-50	Male
Saline	WN fever	No	26-50	Male
Saline	WN fever	No	26-50	Male
Saline	WN fever	No	51-64	Male
Saline	WN fever	No	51-64	Male
Saline	WN fever	unavailable	51-64	Male
Saline	WN fever	No	51-64	Male
Saline	meningitis	Yes	51-64	Female
Saline	WN fever	No	51-64	Female
Saline	WN fever	Yes	65+	Female
Saline	WN fever	No	65+	Female
Saline	meningitis	Yes	65+	Male
Sarpy	WN fever	No	0-13	Male
Sarpy	WN fever	No	14-25	Male
Sarpy	WN fever	No	26-50	Male
Sarpy	WN fever	No	26-50	Male

Sarpy	WN fever	No	26-50	Female
Sarpy	WN fever	No	26-50	Female
Sarpy	WN fever	No	26-50	Male
Sarpy	WN fever	No	26-50	Female
Sarpy	meningitis	Yes	26-50	Female
Sarpy	WN fever	No	26-50	Male
Sarpy	WN fever	No	26-50	Male
Sarpy	unavailable	unavailable	26-50	Male
Sarpy	unavailable	No	26-50	Female
Sarpy	encephalitis	Yes	51-64	Female
Sarpy	WN fever	Yes	51-64	Female
Sarpy	WN fever	Yes	51-64	Female
Sarpy	meningitis	Yes	65+	Male
Sarpy	unavailable	unavailable	unavailable	Female
Sarpy	unavailable	unavailable	unavailable	Female
Sarpy	unavailable	unavailable	unavailable	Female
Sarpy	unavailable	unavailable	unavailable	Female
Saunders	WN fever	Yes	0-13	Female
Saunders	WN fever	No	0-13	Male
Saunders	WN fever	Yes	14-25	Male
Saunders	WN fever	No	26-50	Female
Saunders	WN fever	No	26-50	Male
Saunders	WN fever	No	26-50	Male
Saunders	WN fever	Yes	26-50	Female
Saunders	WN fever	No	26-50	Male
Saunders	WN fever	No	26-50	Male
Saunders	WN fever	No	26-50	Male
Saunders	WN fever	No	26-50	Male
Saunders	WN fever	No	26-50	Female
Saunders	WN fever	No	26-50	Female
Saunders	WN fever	No	26-50	Female
Saunders	WN fever	No	26-50	Male
Saunders	WN fever	No	51-64	Male
Saunders	WN fever	No	51-64	Female
Saunders	WN fever	No	51-64	Female
Saunders	WN fever	No	51-64	Male
SAUNDERS	unavailable	unavailable	51-64	Male
Saunders	WN fever	No	51-64	Female
Saunders	WN fever	No	51-64	Female
Saunders	WN fever	Yes	65+	Male
Saunders	WN fever	Yes	65+	Female
Saunders	unavailable	unavailable	unavailable	Male
Saunders	unavailable	unavailable	unavailable	Female
Saunders	unavailable	unavailable	unavailable	Female
Saunders	WN fever	No	unavailable	Female
Scotts Bluff	meningitis	Yes	0-13	Male
Scotts Bluff	WN fever	No	14-25	Male
Scotts Bluff	WN fever	No	14-25	Male
Scotts Bluff	WN fever	No	14-25	Male
Scotts Bluff	WN fever	No	14-25	Female
Scotts Bluff	WN fever	No	14-25	Male
Scotts Bluff	unavailable	unavailable	14-25	Female

Scotts Bluff	WN fever	Yes	14-25	Female
Scotts Bluff	WN fever	Yes	14-25	Female
Scotts Bluff	WN fever	Yes	26-50	Female
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	WN fever	Yes	26-50	Female
Scotts Bluff	WN fever	No	26-50	Female
Scotts Bluff	WN fever	No	26-50	Female
Scotts Bluff	WN fever	Yes	26-50	Male
Scotts Bluff	WN fever	No	26-50	Female
Scotts Bluff	WN fever	No	26-50	Female
Scotts Bluff	WN fever	Yes	26-50	Male
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	WN fever	No	26-50	Female
Scotts Bluff	meningitis	unavailable	26-50	Female
Scotts Bluff	unavailable	unavailable	26-50	Male
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	unavailable	unavailable	26-50	Male
Scotts Bluff	meningitis	Yes	26-50	Female
Scotts Bluff	WN fever	Yes	26-50	Female
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	WN fever	No	26-50	Male
Scotts Bluff	WN fever	Yes	26-50	Male
Scotts Bluff	WN fever	Yes	26-50	Female
Scotts Bluff	encephalitis	Yes	51-64	Male
Scotts Bluff	WN fever	No	51-64	Female
Scotts Bluff	other	Yes	51-64	Female
Scotts Bluff	WN fever	Yes	51-64	Female
Scotts Bluff	WN fever	No	51-64	Female
Scotts Bluff	encephalitis	Yes	51-64	Female
Scotts Bluff	WN fever	Yes	51-64	Female
Scotts Bluff	WN fever	No	51-64	Female
Scotts Bluff	WN fever	No	51-64	Female
Scotts Bluff	WN fever	Yes	51-64	Female
Scotts Bluff	WN fever	No	51-64	Male
Scotts Bluff	meningitis	Yes	65+	Male
Scotts Bluff	WN fever	Yes	65+	Female
Scotts Bluff	WN fever	No	65+	Female
Scotts Bluff	WN fever	No	65+	Male
Scotts Bluff	WN fever	No	65+	Male
Scotts Bluff	meningitis	Yes	65+	Female
Scotts Bluff	WN fever	Yes	65+	Female
Scotts Bluff	meningitis	Yes	65+	Female
Scotts Bluff	unavailable	unavailable	65+	Female
Scotts Bluff	WN fever	Yes	65+	Female
Scotts Bluff	WN fever	No	65+	Male
Scotts Bluff	WN fever	No	65+	Male
Scotts Bluff	meningitis	Yes	65+	Male
Scotts Bluff	WN fever	Yes	65+	Female
Scotts Bluff	WN fever	Yes	65+	Male

Scotts Bluff	encephalitis	Yes	65+	Male
Scotts Bluff	WN fever	Yes	65+	Female
Scotts Bluff	encephalitis	Yes	65+	Male
Scotts Bluff	encephalitis	Yes	65+	Male
Scotts Bluff	WN fever	Yes	65+	Female
Scotts Bluff	unavailable	unavailable	unavailable	Female
Scotts Bluff	unavailable	unavailable	unavailable	Male
Scotts Bluff	unavailable	unavailable	unavailable	Male
Scotts Bluff	unavailable	unavailable	unavailable	Male
Scotts Bluff	unavailable	unavailable	unavailable	Female
Scotts Bluff	unavailable	unavailable	unavailable	Female
Scotts Bluff	unavailable	unavailable	unavailable	Female
Scottsbluff	unavailable	unavailable	26-50	Female
Scottsbluff	unavailable	unavailable	26-50	Female
Scottsbluff	unavailable	unavailable	unavailable	Female
Seward	WN fever	Yes	0-13	Male
Seward	WN fever	No	0-13	Male
Seward	unavailable	unavailable	14-25	Female
Seward	WN fever	No	26-50	Male
Seward	WN fever	No	26-50	Female
Seward	WN fever	No	26-50	Male
Seward	meningitis	Yes	26-50	Male
Seward	unavailable	unavailable	26-50	Male
Seward	WN fever	No	26-50	Male
Seward	WN fever	No	26-50	Male
Seward	WN fever	No	26-50	Male
Seward	WN fever	Yes	26-50	Male
Seward	unavailable	unavailable	51-64	Male
Seward	WN fever	unavailable	51-64	Female
Seward	WN fever	No	51-64	Female
Seward	encephalitis	Yes	65+	Male
Seward	WN fever	Yes	65+	Female
Seward	WN fever	Yes	65+	Male
Seward	WN fever	No	65+	Male
Seward	encephalitis	Yes	65+	Female
Seward	WN fever	Yes	65+	Male
Seward	unavailable	unavailable	unavailable	Male
Seward	unavailable	unavailable	unavailable	Male
Seward	unavailable	unavailable	unavailable	Male
Seward	unavailable	unavailable	unavailable	Male
Seward	unavailable	unavailable	unavailable	Male
Seward	unavailable	unavailable	unavailable	Female
Seward	unavailable	unavailable	unavailable	Female
Sheridan	WN fever	No	14-25	Male
Sheridan	WN fever	No	26-50	Female
Sheridan	WN fever	No	26-50	Male
Sheridan	WN fever	No	26-50	Female
Sheridan	WN fever	No	26-50	Male
Sheridan	encephalitis	Yes	26-50	Male
Sheridan	WN fever	No	51-64	Female
Sheridan	WN fever	No	51-64	Male
Sheridan	WN fever	Yes	51-64	Female

Sheridan	WN fever	Yes	65+	Male
Sheridan	WN fever	No	unavailable	Female
Sherman	WN fever	No	14-25	Male
Sherman	WN fever	No	14-25	Female
Sherman	WN fever	No	14-25	Male
Sherman	WN fever	No	26-50	Male
Sherman	WN fever	Yes	26-50	Male
Sherman	WN fever	No	26-50	Male
Sherman	WN fever	No	26-50	Female
Sherman	WN fever	unavailable	26-50	Female
Sherman	WN fever	No	51-64	Male
Sherman	WN fever	No	65+	Female
Sherman	encephalitis	Yes	65+	Female
Sherman	WN fever	No	65+	Male
Sherman	WN fever	No	65+	Female
Sherman	unavailable	unavailable	unavailable	Male
Stanton	WN fever	No	26-50	Male
Thayer	WN fever	No	14-25	Female
Thayer	WN fever	No	14-25	Male
Thayer	WN fever	No	26-50	Male
Thayer	WN fever	Yes	26-50	Female
Thayer	WN fever	Yes	26-50	Female
Thayer	WN fever	No	26-50	Male
Thayer	WN fever	No	26-50	Male
Thayer	WN fever	No	26-50	Male
Thayer	WN fever	No	51-64	Male
Thayer	WN fever	Yes	51-64	Male
Thayer	WN fever	No	51-64	Female
Thayer	WN fever	No	51-64	Male
Thayer	WN fever	No	51-64	Female
Thayer	other	Yes	51-64	Male
Thayer	WN fever	No	51-64	Female
Thayer	WN fever	No	65+	Male
Thayer	WN fever	No	65+	Male
Thayer	WN fever	Yes	65+	Male
Thayer	WN fever	No	65+	Female
Thayer	encephalitis	Yes	65+	Male
Thomas	WN fever	No	26-50	Female
Thomas	WN fever	unavailable	26-50	Male
Thurston	encephalitis	Yes	26-50	Male
Thurston	WN fever	No	51-64	Male
unavailable	unavailable	unavailable	0-13	Male
unavailable	unavailable	unavailable	0-13	Female
unavailable	WN fever	No	14-25	unavailable
unavailable	unavailable	unavailable	14-25	Female
unavailable	unavailable	unavailable	26-50	Female
unavailable	unavailable	unavailable	26-50	Male
unavailable	unavailable	unavailable	26-50	Female
unavailable	unavailable	unavailable	51-64	Male
unavailable	unavailable	unavailable	51-64	Female
unavailable	unavailable	unavailable	51-64	Male
unavailable	unavailable	unavailable	51-64	Male

[illegible]

[illegible]

unavailable	unavailable	unavailable	unavailable	Female
unavailable	unavailable	unavailable	unavailable	Female
unavailable	unavailable	unavailable	unavailable	Female
unavailable	unavailable	unavailable	unavailable	Male
unavailable	unavailable	unavailable	unavailable	Female
unavailable	unavailable	unavailable	unavailable	Male
unavailable	unavailable	unavailable	unavailable	Male
unavailable	unavailable	unavailable	unavailable	Male
unavailable	unavailable	unavailable	unavailable	Male
unavailable	unavailable	unavailable	unavailable	Female
unavailable	unavailable	unavailable	unavailable	Male
unavailable	unavailable	unavailable	unavailable	Female
unavailable	unavailable	unavailable	unavailable	Male
unavailable	unavailable	unavailable	unavailable	Male
Valley	WN fever	No	0-13	Male
Valley	WN fever	No	14-25	Male
Valley	WN fever	No	14-25	Female
Valley	WN fever	No	26-50	Female
Valley	WN fever	No	26-50	Female
Valley	WN fever	No	26-50	Female
Valley	meningitis	Yes	26-50	Female
Valley	WN fever	No	26-50	Male
Valley	WN fever	No	26-50	Male
Valley	WN fever	Yes	26-50	Male
Valley	WN fever	No	26-50	Male
Valley	WN fever	No	51-64	Female
Valley	WN fever	No	51-64	Female
Valley	WN fever	No	51-64	Female
Valley	WN fever	No	51-64	Male
Valley	meningitis	Yes	65+	Female
Valley	WN fever	No	65+	Male
Valley	WN fever	Yes	65+	Male
Valley	WN fever	No	65+	Male
Valley	WN fever	No	unavailable	Female
Washington	WN fever	No	0-13	Female
Washington	WN fever	No	14-25	Male
Washington	unavailable	unavailable	26-50	Male
Washington	WN fever	No	26-50	Male
Washington	WN fever	No	26-50	Female
Washington	WN fever	No	26-50	Female
Washington	WN fever	No	26-50	Female
Washington	encephalitis	Yes	26-50	Female
Washington	WN fever	No	51-64	Male
Washington	WN fever	No	51-64	Female
Washington	unavailable	unavailable	51-64	Male
Washington	encephalitis	No	51-64	Female
Washington	WN fever	No	51-64	Female
Washington	WN fever	Yes	65+	Female
Washington	encephalitis	Yes	65+	Male
Washington	encephalitis	Yes	65+	Male
Washington	unavailable	unavailable	unavailable	Male
Wayne	WN fever	No	14-25	Male

Wayne	WN fever	No	26-50	Male
Webster	WN fever	No	14-25	Female
Webster	unavailable	unavailable	14-25	Female
Webster	WN fever	No	26-50	Male
Webster	WN fever	No	26-50	Female
Webster	WN fever	No	26-50	Male
Webster	WN fever	No	26-50	Male
Webster	unavailable	unavailable	51-64	Male
Webster	meningitis	Yes	65+	Male
Wheeler	WN fever	No	26-50	Female
Wheeler	WN fever	No	26-50	Female
York	WN fever	No	14-25	Female
York	WN fever	No	14-25	Male
York	unavailable	unavailable	14-25	Female
York	WN fever	No	26-50	Male
York	WN fever	No	26-50	Male
York	WN fever	No	26-50	Female
York	WN fever	No	26-50	Male
York	unavailable	unavailable	26-50	Female
York	WN fever	Yes	26-50	Male
York	WN fever	No	26-50	Female
York	WN fever	No	26-50	Female
York	WN fever	No	26-50	Male
York	meningitis	Yes	26-50	Male
York	WN fever	No	26-50	Female
York	WN fever	No	26-50	Male
York	WN fever	No	26-50	Female
York	WN fever	No	26-50	Male
York	WN fever	No	26-50	Female
York	WN fever	No	51-64	Male
York	meningitis	Yes	51-64	Male
York	WN fever	No	51-64	Male
York	WN fever	No	51-64	Female
York	WN fever	Yes	51-64	Male
York	WN fever	Yes	51-64	Male
York	WN fever	No	51-64	Male
York	WN fever	No	51-64	Male
York	WN fever	No	51-64	Female
York	WN fever	No	65+	Female
York	encephalitis	Yes	65+	Female
York	WN fever	Yes	65+	Male
York	WN fever	No	65+	Female
York	meningitis	Yes	65+	Female
York	WN fever	Yes	65+	Female
York	encephalitis	Yes	65+	Male
York	unavailable	unavailable	65+	Female
York	WN fever	Yes	65+	Female
York	unavailable	unavailable	unavailable	Male
York	unavailable	unavailable	unavailable	Female
York	unavailable	unavailable	unavailable	Male
York	WN fever	No	unavailable	Male
York	WN fever	Yes	unavailable	unavailable

Source: Nebraska Health and Human Services System